

Safety Data Sheet

Copyright,2015,3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:	22-4730-2	Version Number:	7.01
Issue Date:	10/07/15	Supercedes Date:	06/13/14

SECTION 1: Identification

1.1. Product identifier

3MTM Bathroom Cleaner Concentrate (Product No. 44, 3MTM Chemical Management Systems)

Product Identification Numbers

ID Number	UPC	ID Number	UPC
61-0000-6360-4		61-0000-6395-0	
70-0713-1361-6	500-48011-59164-8	70-0713-1362-4	500-48011-59165-5
70-0716-5993-5	500-51125-85929-0	70-0716-8326-5	500-48011-59164-8
70-0716-8327-3	500-48011-59165-5		

1.2. Recommended use and restrictions on use

Recommended use

Mild acid cleaner removes soap scum and scale from bathroom surfaces including plastic, porcelain, ceramic, fiberglass, floors and fixtures. Do not use on marble surfaces., This product meets Green SealTM Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging, and protective limits on: VOCs and human & environmental toxicity. Acute toxicity and skin/eye damage met requirements at the as-used dilution, as specified for closed dilution systems. GreenSeal.org., Hard Surface Cleaner

1.3. Supplier's details	
MANUFACTURER:	3M
DIVISION:	Commercial Solutions Division
ADDRESS:	3M Center, St. Paul, MN 55144-1000, USA
Telephone:	1-888-3M HELPS (1-888-364-3577)
•	

1.4. Emergency telephone number 1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Corrosive to metal: Category 1. Serious Eye Damage/Irritation: Category 1. Skin Corrosion/Irritation: Category 1B. Specific Target Organ Toxicity (respiratory irritation): Category 3.

2.2. Label elements

Signal word Danger

Symbols Corrosion | Exclamation mark |

Pictograms



Hazard Statements May be corrosive to metals.

Causes severe skin burns and eye damage. May cause respiratory irritation.

Precautionary Statements

Prevention:

Keep only in original container. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in a well-ventilated area. Wear protective gloves, protective clothing, and eye/face protection. Wash thoroughly after handling.

Response:

IF ÎNHALED: Remove person to fresh air and keep comfortable for breathing.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
Wash contaminated clothing before reuse.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
Absorb spillage to prevent material damage.

Storage:

Store in a corrosive resistant container with a resistant inner liner. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

2.3. Hazards not otherwise classified

May cause chemical gastrointestinal burns. May cause chemical respiratory tract burns.

33% of the mixture consists of ingredients of unknown acute inhalation toxicity.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
1-OCTYL-2-PYRROLIDINONE	2687-94-7	10 - 30 Trade Secret *

WATER	7732-18-5	10 - 30 Trade Secret *
HYDROXYACETIC ACID	79-14-1	10 - 30 Trade Secret *
MALIC ACID	6915-15-7	10 - 30 Trade Secret *
AMINES, COCO ALKYLDIMETHYL, N-OXIDES	61788-90-7	1 - 5 Trade Secret *
ETHOXYLATED C9-11 ALCOHOLS	68439-46-3	1 - 5 Trade Secret *
Fragrance Added	Mixture	0.1 - 1.5 Trade Secret *

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. Get immediate medical attention.

Skin Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contaminated clothing. Get immediate medical attention. Wash clothing before reuse.

Eye Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

If Swallowed:

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Material will not burn. Non-combustible. Use a fire fighting agent suitable for surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance Carbon monoxide Carbon dioxide Oxides of Nitrogen <u>Condition</u> During Combustion During Combustion During Combustion

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a metal container approved for use in transportation by appropriate authorities. The container must be lined with polyethylene plastic or contain a plastic drum liner made of polyethylene. Clean up residue with water. Cover, but do not seal for 48 hours. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial or professional use only. This product is not intended to be used without prior dilution as specified on the product label. Grounding or safety shoes with electrostatic dissipating soles (ESD) are not required with a chemical dispensing system. Keep out of reach of children. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Keep away from reactive metals (eg. Aluminum, zinc etc.) to avoid the formation of hydrogen gas that could create an explosion hazard.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep only in original container. Store in a corrosive resistant container with a resistant inner liner. Store away from strong bases.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient		C.A.S. No.	Agency	Limit type	Additional Comments
HYDROXYA	CETIC ACID	79-14-1	CMRG	TWA:10 mg/m3	
ACCILL, American Conference of Concernmental Industrial Hyperonists					

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area. NOTE: When used with a chemical dispensing system as directed, special ventilation is not required. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

NOTE: When used with a chemical dispensing system as directed, eye contact with the concentrate is not expected to occur. If the product is not used with a chemical dispensing system or if there is an accidental release, wear protective eye/face protection.

If product is not used with a chemical dispensing system or if there is an accidental release:

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield Indirect Vented Goggles

Skin/hand protection

NOTE: When used with a chemical dispensing system as directed, skin contact with the concentrate is not expected to occur. If product is not used with a chemical dispensing system or if there is an accidental release:

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended: Polyvinyl Chloride Polymer laminate

If product is not used with a chemical dispensing system or if there is an accidental release:

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate Apron - PVC

Respiratory protection

NOTE: When used with a chemical dispensing system as directed, respiratory protection is not required.

If product is not used with a chemical dispensing system or if there is an accidental release:

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Physical Form: Specific Physical Form: Odor, Color, Grade: Odor threshold pH Boiling Point Flash Point Flammability (solid, gas) Liquid Liquid Green color with floral fragrance. *No Data Available* Approximately 0.9 - 1.5 > 95 °F No flash point Not Applicable Vapor Pressure Specific Gravity Solubility in Water Solubility- non-water Decomposition temperature Viscosity Hazardous Air Pollutants Volatile Organic Compounds Percent volatile VOC Less H2O & Exempt Solvents 15 psia - 40 psia [@ 131 °F] Approximately 1.12 [*Ref Std:* WATER=1] Complete *No Data Available* Approximately 100 centipoise *No Data Available* < 0.00001 [*Test Method:* calculated per CARB title 2] *No Data Available* <=0 g/l [*Test Method:* calculated per CARB title 2]

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong bases

10.6. Hazardous decomposition products

Substance None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

May be harmful if inhaled. Respiratory Tract Corrosion: Signs/symptoms may include nasal discharge, severe nose and throat pain, chest tightness and pain, coughing up blood, wheezing, and breathlessness, possibly progressing to respiratory failure.

Condition

Skin Contact:

Corrosive (Skin Burns): Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Ingestion:

May be harmful if swallowed.

Gastrointestinal Corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain; nausea; vomiting; and diarrhea; blood in the feces and/or vomitus may also be seen.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Route	Species	Value
Inhalation-		No data available; calculated ATE 5 - 12.5 mg/l
Dust/Mist(4		
hr)		
Ingestion		No data available; calculated ATE 2,000 - 5,000
		mg/kg
Dermal	Rabbit	LD50 > 2,000 mg/kg
Ingestion	Rat	LD50 2,050 mg/kg
Inhalation-	Rat	LC50 2.5 mg/l
Dust/Mist		
(4 hours)		
Ingestion	Rat	LD50 2,040 mg/kg
Ingestion	Rat	LD50 > 3,200 mg/kg
Dermal	similar	LD50 > 20,000 mg/kg
	compoun	
	ds	
Inhalation-	similar	LC50 > 1.306 mg/l
Dust/Mist	compoun	
(4 hours)	ds	
Ingestion	Rat	LD50 > 2,000 mg/kg
Dermal	Rabbit	LD50 > 2,000 mg/kg
Ingestion	Rat	LD50 1,378 mg/kg
Dermal	Rabbit	LD50 > 5,000 mg/kg
Ingestion	Rat	LD50 4,498 mg/kg
	Inhalation- Dust/Mist(4 hr) Ingestion Ingestion Inhalation- Dust/Mist (4 hours) Ingestion Ingestion Dermal Inhalation- Dust/Mist (4 hours) Ingestion Dermal Ingestion Dermal Ingestion Dermal Ingestion	Inhalation-Dust/Mist(4hr) Ingestion Dermal Rabbit Ingestion Rat Inhalation-Dust/Mist Rat Inhalation-Dust/Mist Rat Inhalation-Dust/Mist Rat Ingestion Rat Ingestion Rat Ingestion Rat Dermal similar compoun ds Inhalation-Dust/Mist compoun ds Ingestion Rat Dermal similar compoun ds Ingestion Rat Dermal similar compoun ds Ingestion Rat Dust/Mist compoun ds Ingestion Rat Dermal Rabbit Ingestion Rat Dermal Rabbit Ingestion Rat Dermal Rabbit

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
HYDROXYACETIC ACID	Rabbit	Corrosive
MALIC ACID	Rabbit	Mild irritant
AMINES, COCO ALKYLDIMETHYL, N-OXIDES	Professio	Mild irritant
	nal	
	judgeme	
	nt	
ETHOXYLATED C9-11 ALCOHOLS	Rabbit	Irritant

Serious Eye Damage/Irritation

Name	Species	Value
HYDROXYACETIC ACID	Rabbit	Corrosive
MALIC ACID	Rabbit	Severe irritant
AMINES, COCO ALKYLDIMETHYL, N-OXIDES	Professio	Corrosive
	nal	

	judgeme nt	
ETHOXYLATED C9-11 ALCOHOLS	Professio	Corrosive
	nal	
	judgeme	
	nt	

Skin Sensitization

Name	Species	Value
HYDROXYACETIC ACID	Guinea	Not sensitizing
	pig	
MALIC ACID	similar	Not sensitizing
	compoun	
	ds	
AMINES, COCO ALKYLDIMETHYL, N-OXIDES	similar	Not sensitizing
	compoun	
	ds	
ETHOXYLATED C9-11 ALCOHOLS	Guinea	Not sensitizing
	pig	

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
HYDROXYACETIC ACID	In Vitro	Not mutagenic
HYDROXYACETIC ACID	In vivo	Not mutagenic
MALIC ACID	In Vitro	Not mutagenic
ETHOXYLATED C9-11 ALCOHOLS	In Vitro	Not mutagenic

Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
HYDROXYACETIC ACID	Ingestion	Some positive developmental data exist, but the data are not sufficient for classification	Rat	NOAEL 150 mg/kg/day	during gestation
MALIC ACID	Ingestion	Not toxic to female reproduction	Rat	NOAEL 10000 ppm in the diet	2 generation
MALIC ACID	Ingestion	Not toxic to development	Rat	NOAEL 350 mg/kg/day	during organogenesi s
MALIC ACID	Ingestion	Some positive male reproductive data exist, but the data are not sufficient for classification	Rat	NOAEL 2,000 mg/kg/day	104 weeks
ETHOXYLATED C9-11 ALCOHOLS	Dermal	Not toxic to female reproduction	Rat	NOAEL 250 mg/kg/day	2 generation
ETHOXYLATED C9-11 ALCOHOLS	Dermal	Not toxic to development	Rat	NOAEL 250 mg/kg/day	2 generation
ETHOXYLATED C9-11 ALCOHOLS	Dermal	Some positive male reproductive data exist, but the data are not sufficient for classification	Rat	NOAEL 100 mg/kg/day	2 generation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

	Γ	Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure
--	---	------	-------	-----------------	-------	---------	-------------	----------

						Duration
AMINES, COCO	Inhalation	respiratory irritation	Some positive data exist, but the		NOAEL Not	
ALKYLDIMETHYL, N-			data are not sufficient for		available	
OXIDES			classification			
ETHOXYLATED C9-11	Inhalation	respiratory irritation	Some positive data exist, but the	Not	NOAEL Not	not available
ALCOHOLS			data are not sufficient for	available	available	
			classification			

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
HYDROXYACETIC ACID	Inhalation	heart hematopoietic system liver immune system kidney and/or bladder respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1.4 mg/l	2 weeks
HYDROXYACETIC ACID	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 400 mg/kg/day	248 days
HYDROXYACETIC ACID	Ingestion	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 600 mg/kg/day	90 days
HYDROXYACETIC ACID	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Other	LOAEL 97 mg/kg/day	59 days
HYDROXYACETIC ACID	Ingestion	muscles nervous system	All data are negative	Rat	NOAEL 600 mg/kg/day	90 days
HYDROXYACETIC ACID	Ingestion	respiratory system	All data are negative	Dog	NOAEL 500 mg/kg/day	119 days
MALIC ACID	Ingestion	heart endocrine system hematopoietic system liver kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 2,500 mg/kg/day	104 weeks
ETHOXYLATED C9-11 ALCOHOLS	Dermal	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 125 mg/kg/day	13 weeks
ETHOXYLATED C9-11 ALCOHOLS	Dermal	hematopoietic system	All data are negative	Rat	NOAEL 125 mg/kg/day	13 weeks

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): D002 (Corrosive)

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations 311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No

15.2. State Regulations

15.3. Chemical Inventories

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA.

15.4. International Regulations

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 3 Flammability: 0 Instability: 0 Special Hazards: None Acid/Base: Acid Corrosive: Yes

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

HMIS Hazard Classification Health: 3 Flammability: 0 Physical Hazard: 0 Personal Protection: X - See PPE section.

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

Document Group:	22-4730-2	Version Number:	7.01
Issue Date:	10/07/15	Supercedes Date:	06/13/14

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at www.3M.com