

SAFETY DATA SHEET

Revision Date 05/26/2015 REVISION NUMBER: 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name F-20, Liquid Alkaline Sanitizer

Other means of identification

 Product code
 119084

 UN/ID No.
 1903

 Synonyms
 NONE

Registration Number(s) 10324-111-527

Recommended use of the chemical and restrictions on use
Recommended Use
No information available.
No information available

Details of the supplier of the safety data sheet

Manufacturer Address Importer

Rochester Midland Corporation
Rochester Midland Limited
155 Paragon Drive
Rochester Midland Limited
5353 John Lucas Drive

Rochester, New York 14624 USA Suite 103

Burlington, ON L7L 6G5

Canada

Emergency telephone number

EMERGENCY TELEPHONE INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500 CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 3

Label elements

Emergency Overview

WARNING

Flammable liquid and vapor



Appearance Clear Orange Physical state Liquid Odor Odorless

Revision Date 05/26/2015

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

· Toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Isopropanol	67-63-0	1 - 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Call a POISON CENTER or doctor/physician if you feel unwell.

Eye contact IF IN EYES: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and

upper eyelids. Consult a physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

Inhalation IF INHALED: Remove to fresh air.

Ingestion IF SWALLOWED: Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO2, sand, earth, water spray or regular foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

Protective equipment and precautions for firefighters

CORROSIVE MATERIAL. Avoid exposure to mist and splashes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Cool exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Isolate traffic and ventilate area. Eliminate all ignition sources. Wear protective gear as

necessary. Dike to prevent spread. Pick up absorbent material and put in suitable

container for proper disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling DANGER. CORROSIVE LIQUID. Combustible material. Avoid contact with eyes, skin and

clothing. Do not breathe mist or vapors. Read and follow label instructions. Wash

thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store only in original container and keep closed. Store in a cool, dry area. Store in a well

ventilated area. Keep from freezing. Do not contaminate food or feed stuffs. Do not reuse container. Empty containers may retain product residue, follow MSDS/label precautions

even after container is emptied.

Incompatible materials Strong oxidents, such as nitric acid, or hypochlorites. Reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropanol	STEL: 400 ppm	(vacated) STEL: 500 ppm	2000 ppm
67-63-0	TWA: 200 ppm	(vacated) STEL: 1225 mg/m ³	
		(vacated) TWA: 400 ppm	
		(vacated) TWA: 980 mg/m ³	
		TWA: 400 ppm	
		TWA: 980 mg/m ³	

Appropriate engineering controls

Revision Date 05/26/2015

ENGINEERING CONTROLSGeneral mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

Showers. Eyewash stations.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses or goggles to protect against exposure.

Skin and body protection Appropriate protective clothing as needed to prevent skin contact. Chemical resistant

gloves are recommended to minimize skin contact. Rubber Boots. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe

use of this product.

RESPIRATORY PROTECTION If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear Orange Odor Odorless

Color No information available Odor threshold No information available

Property Values Remarks • Method

pH 9.0

Melting point/freezing point

Boiling point / boiling range

No information available
No information available

Flash point 57.2 °C / 135 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information available

Specific gravity 0.984

Water solubility No information available No information available Solubility in other solvents Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point No information available VOC (EPA METH.24) (G/L): No information available

VOC (EPA METH.24) (G/L):

Density

Bulk density

No information available
No information available
No information available

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Keep away from heat, sparks, and flame. Strong oxidizing agents.

Incompatible materials

Strong oxidents, such as nitric acid, or hypochlorites. Reducing agents.

Hazardous Decomposition Products

Carbon Monoxide. Carbon dioxide (CO2). Hydrogen chloride gas.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50	
Isopropanol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat) 8 h	
67-63-0]	, , ,	

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.

<u>Carcinogenicity</u> The table below indicates whether each agency has listed any ingredient as a carcinogen.

with the golden and the grant				
PRODUCT COMPOSITION	ACGIH	IARC	NTP	OSHA
Isopropanol	-	Group 3	-	-
67-63-0				

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 120438 mg/kg

 ATEmix (dermal)
 13647 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

0.005% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Isopropanol	1000: 72 h Desmodesmus	1400000: 96 h Lepomis	13299: 48 h Daphnia magna
67-63-0	subspicatus mg/L EC50	macrochirus µg/L LC50	mg/L EC50
	1000: 96 h Desmodesmus	11130: 96 h Pimephales	
	subspicatus mg/L EC50	promelas mg/L LC50 static	
		9640: 96 h Pimephales	
		promelas mg/L LC50	
		flow-through	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

PRODUCT COMPOSITION	Partition coefficient
Isopropanol	0.05
67-63-0	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

UN/ID No. 1903

Proper shipping name DISINFECTANT LIQUID, CORROSIVE, N.O.S. (QUATERNARY AMMONIUM

COMPOUND)

Hazard Class 8
Packing Group III

Description 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

TSCA Complies Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS IECSC** Complies Complies **KECL PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION	SARA 313 - Threshold Values %	
Isopropanol - 67-63-0	1.0	

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD

CHRONIC HEALTH HAZARD

FIRE HAZARD

Sudden release of pressure hazard

REACTIVE HAZARD

No

No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Isopropanol	Listed	Listed	Listed
67-63-0			

U.S. EPA Label Information

EPA Pesticide Registration Number 10324-111-527

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

DANGER.

Corrosive.

Causes irreversible eye and skin burns. Harmful if swallowed, inhaled or absorbed through the skin.

This pesticide is toxic to fish and aquatic invertebrates.

16. OTHER INFORMATION

NFPA

Health hazards 3

Flammability 2
Instability 0
Physical and Chemical Properties CORR
HMIS
Health hazards 3
Flammability 0
Physical hazards 0
Personal protection C

Prepared By EH&S DEPARTMENT

Revision Date 05/26/2015

Revision Note Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***