

# Safety Data Sheet

Issue Date: 14-Mar-2012

Revision/Review Date: 04-Sep-2019

Version 1.1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Victoria Bay Mega Stripper

### Other means of identification

**Product Code** G00318/D20362

### Recommended use of the Chemical and Restrictions on Use

**Recommended Use** Floor stripper concentrate. For industrial use.

### Details of the Supplier of the Safety Data Sheet

Victoria Bay Products  
255 Route 1 & 9  
Jersey City, NJ 07306

### Emergency Telephone Number

**Company Phone Number** Phone: 1-800-226-3233  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Colorless

**Physical State** Liquid

**Odor** Lemon

### Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

### Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin.

### Signal Word

**Danger**



### Hazard Statements

Harmful if swallowed.  
Harmful if inhaled.  
Causes severe skin burns and eye damage.  
May cause respiratory irritation. May cause drowsiness or dizziness.

### Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.  
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

**Precautionary Statements - Storage**

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

**Other Hazards**

Harmful to aquatic life with long lasting effects.

**Unknown Acute Toxicity**

6.5% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	30-60
Ethylene Glycol Monobutyl Ether	111-76-2	10-30
Monoethanolamine	141-43-5	10-30
Benzyl Alcohol	100-51-6	7-13
Phosphate Ester Surfactant	66057-30-5	3-7
Nonylphenoxypolyethoxyethanol	68412-54-4	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

**First Aid Measures****Eye Contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Seek immediate medical attention/advice. If possible, continue to flush eyes with running water until medical attention is received.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse.

**Inhalation**

Remove to fresh air. Call a physician or poison control center immediately.

**Ingestion**

Rinse mouth. Drink plenty of water. Seek medical attention immediately. Do not induce vomiting. Never give anything by mouth to an unconscious person.

**Most Important Symptoms and Effects****Symptoms**

Corrosive to eyes. Corrosive and irritating to upper respiratory tract. Prolonged contact may even cause severe skin irritation or mild burn.

**Indication of any Immediate Medical Attention and Special Treatment Needed****Notes to Physician**

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Water spray (fog). Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam.

**Unsuitable Extinguishing Media**

Not determined.

**Specific Hazards Arising from the Chemical**

None known.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions** Use personal protection recommended in Section 8.

**Environmental Precautions** Avoid release to the environment.

### Methods and Material for Containment and Cleaning Up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Collect in a clean, dry waste container for disposal. Dispose of in accordance with federal, state and local regulations. Dilute remaining residue with water.

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling

**Advice on Safe Handling** Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Avoid contact with skin and eyes.

### Conditions for Safe Storage, including any Incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Keep from freezing.

**Incompatible Materials** Acids. Oxidizing agents. Bleach.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Monoethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m <sup>3</sup> (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m <sup>3</sup> (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m <sup>3</sup>	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>

### Appropriate Engineering Controls

**Engineering Controls** General ventilation sufficient.

### Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection** Splash goggles or safety glasses.

**Skin and Body Protection** Rubber, Nitrile, PVC, or other chemically resistant skin protection to prevent contact.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on Basic Physical and Chemical Properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Lemon
<b>Appearance</b>	Clear	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Colorless		

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
<b>pH</b>	12.0-12.5	
<b>Melting Point/Freezing Point</b>	~ 0 °C / ~32 °F	
<b>Boiling Point/Boiling Range</b>	~ 100 °C / ~212 °F	
<b>Flash Point</b>	Not applicable	
<b>Evaporation Rate</b>	Not determined	
<b>Flammability (Solid, Gas)</b>	n/a-liquid	
<b>Upper Flammability Limits</b>	Not determined	
<b>Lower Flammability Limit</b>	Not determined	
<b>Vapor Pressure</b>	Not determined	
<b>Vapor Density</b>	Not determined	
<b>Specific Gravity</b>	0.99	
<b>Water Solubility</b>	Completely soluble	@ 25 °C (77 °F)
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Auto-ignition Temperature</b>	Not determined	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	Not determined	
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to Avoid**

Keep out of reach of children. Keep from freezing.

**Incompatible Materials**

Acids. Oxidizing agents. Bleach.

**Hazardous Decomposition Products**

When exposed to fire, produces normal products of combustion.

**11. TOXICOLOGICAL INFORMATION****Information on Likely Routes of Exposure****Product Information**

<b>Eye Contact</b>	Causes severe eye damage.
<b>Skin Contact</b>	Causes severe skin burns. May be harmful in contact with skin.
<b>Inhalation</b>	Harmful if inhaled.
<b>Ingestion</b>	Harmful if swallowed.

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg ( Rat )	= 2270 mg/kg ( Rat ) = 220 mg/kg ( Rabbit )	= 2.21 mg/L ( Rat ) 4 h = 450 ppm ( Rat ) 4 h
Monoethanolamine 141-43-5	= 1720 mg/kg ( Rat )	= 1 mL/kg ( Rabbit ) = 1025 mg/kg ( Rabbit )	-
Benzyl Alcohol 100-51-6	= 1230 mg/kg ( Rat )	= 2000 mg/kg ( Rabbit )	= 8.8 mg/L ( Rat ) 4 h

### Information on Physical, Chemical and Toxicological Effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

**Carcinogenicity** Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl Ether 111-76-2	A3	Group 3		

#### **Legend**

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 3 IARC components are "not classifiable as human carcinogens"

**STOT - Single Exposure** May cause respiratory irritation. May cause drowsiness or dizziness.

**Chronic Toxicity** Chronic exposure may cause liver, kidney and/or blood disorders.

### Numerical Measures of Toxicity

Not determined

**Unknown Acute Toxicity** 6.5% of the mixture consists of ingredient(s) of unknown toxicity.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene Glycol Monobutyl Ether 111-76-2	-	1490: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 2950: 96 h <i>Lepomis macrochirus</i> mg/L LC50	-	1698 - 1940: 24 h <i>Daphnia magna</i> mg/L EC50 1000: 48 h <i>Daphnia magna</i> mg/L EC50
Monoethanolamine 141-43-5	15: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	227: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 3684: 96 h <i>Brachydanio rerio</i> mg/L LC50 static 300 - 1000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 114 - 196: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 200: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through	-	65: 48 h <i>Daphnia magna</i> mg/L EC50
Benzyl Alcohol 100-51-6	35: 3 h <i>Anabaena variabilis</i> mg/L EC50	460: 96 h <i>Pimephales promelas</i> mg/L LC50 static 10: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50

### Persistence/Degradability

Not determined.

### Bioaccumulation

Not determined.

### Mobility

Chemical Name	Partition Coefficient

Ethylene Glycol Monobutyl Ether 111-76-2	0.81
Monoethanolamine 141-43-5	-1.91
Benzyl Alcohol 100-51-6	1.1

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**  
**UN/ID No** UN1760, Corrosive Liquid, NOS(Containing Monoethanolamine), 8, PG II

**IATA**

**IMDG**  
**Marine Pollutant** This material may meet the definition of a marine pollutant

**15. REGULATORY INFORMATION****International Inventories**

Canada – Domestic Substances List (DSL) All ingredients are listed or exempt.  
TSCA (Toxic Substances Control Act) All ingredients are listed or exempt.

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations****SARA 311/312 Hazard Categories**

**Acute Health Hazard** Yes  
**Chronic Health Hazard** Yes  
**Reactive Hazard** Yes

**SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether	111-76-2	10-30	1.0

**US State Regulations****California Proposition 65**

This product contains a chemical known to the State of California to cause cancer.



**WARNING:** This product can expose you to Diethanolamine, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**U.S. State Right-to-Know Regulations**

Chemical Name	State List
Ethylene Glycol Monobutyl Ether 111-76-2	MA, NJ, PA
Monoethanolamine 141-43-5	MA, NJ, PA
Benzyl Alcohol 100-51-6	MA, PA

AZ – Arizona Ambient Air Quality Guidelines  
 CT – Connecticut Hazardous Air Pollutants  
 CA – California Director's List of Hazardous Substances  
 CAP65 – California Prop 65  
 FL – Florida Substances List  
 ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminant- Carcinogenic  
 MA – Massachusetts Right to Know List  
 MN – Minnesota Hazardous Substances List  
 NJ – New Jersey Right to Know List  
 PA – Pennsylvania Right to Know List  
 RI – Rhode Island Hazardous Substances List

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	Not determined	Not determined	Not determined	Not determined
<b>HMIS</b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	3	0	0	Not determined

**Issue Date:** 14-Mar-2012  
**Revision/Review Date:** 13-Aug-2018  
**Revision Note:** Version 1.1 Updated Section 15

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Keep Out of Reach of Children. For Industrial and Institutional Use Only.**

\*Denotes changes from last version.

**End of Safety Data Sheet**