

# Suma Break Up SC D3.5 Heavy Duty Foaming Grease-Release Cleaner

Version Number: 1 Preparation date: 2014-06-26

### 1. IDENTIFICATION

Product name: Suma Break Up SC D3.5 Heavy Duty Foaming Grease-Release Cleaner

 Product Code:
 95192347

 SDS #:
 MS0800169

Recommended use:

• Kitchen hygiene product

Cleaning product

• This product is intended to be diluted prior to use

Uses advised against:

Uses other than those identified are not recommended

Manufacturer, importer, supplier:Canadian HeadquartersUS HeadquartersSealed Air - CanadaDiversey, Inc.3755 Laird Road

8310 16th St. Sturtevant, Wisconsin 53177-1964

Emergency telephone number:

Phone: 1-888-352-2249

MSDS Internet Address: www.diversey.com

ww.divorsey.com

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I)

# 2. HAZARDS IDENTIFICATION

Mississauga, Ontario L5L 0B3

Phone: 1-800-668-3131

# Classification for the undiluted product

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1
Metal Corrosion: Category 1



Signal Word: Danger.

#### **Precautionary Statements**

### CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.

Causes burns/ serious damage to mouth, throat and stomach. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Keep only in original container. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing and wash it before reuse. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable
Physical hazards not otherwise classified (PHNOC) - Not applicable
Suma Break Up SC D3.5 Heavy Duty 1 of 5
Foaming Grease-Release Cleaner



Classification for the diluted product @ 1:60

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### Precautionary Statements

None required.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
Cocamidopropyl betaine	61789-40-0	5 - 10%
Alcohol ethoxylates	68439-46-3	5 - 10%
Lauryl dimethyl amine oxide	1643-20-5	3% - < 5%
Tetrasodium salt of EDTA	64-02-8	3% - < 5%
Sodium chloride	7647-14-5	1% - < 3%
Sodium metasilicate	6834-92-0	1% - < 3%
Potassium hydroxide	1310-58-3	> 0.1% - < 1%
Sodium hydroxide	1310-73-2	< 0.1%

<sup>\*</sup>Exact percentages are being withheld as trade secret information

### 4. FIRST AID MEASURES

### **Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

### **Diluted Product:**

**Eyes:** Rinse with plenty of water If irritation occurs and persists, get medical attention. **Skin:** Rinse with plenty of water If irritation occurs and persists, get medical attention.

Inhalation: No specific first aid measures are required

Ingestion: Rinse mouth with water.

### 5. FIRE-FIGHTING MEASURES

**Specific methods:** No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Not applicable.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions Clean-up methods - large spillage. Soak up with inert absorbent material. Sweep up and shovel into

### 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable): Not applicable

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Ingredient(s)	CAS#	ACGIH	OSHA
Cocamidopropyl betaine	61789-40-0	-	-
Alcohol ethoxylates	68439-46-3	-	-
Lauryl dimethyl amine oxide	1643-20-5	-	-
Tetrasodium salt of EDTA	64-02-8	-	-
Sodium chloride	7647-14-5	-	-
Sodium metasilicate	6834-92-0	-	-
Potassium hydroxide	1310-58-3	2 mg/m³ (Ceiling)	-
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)

### **Undiluted Product:**

### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

**Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

Skin and body protection:No personal protective equipment required under normal use conditions.Respiratory protection:No personal protective equipment required under normal use conditions.Hygiene measures:Handle in accordance with good industrial hygiene and safety practice.

#### **Diluted Product:**

Personal Protective Equipment

Eye protection:

Hand protection:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State: Liquid Color: Clear, Pale, Yellow

Evaporation Rate: No information available

Odor: Surfactant
Odor threshold: No information available.

Boiling point/rang

Odor threshold: No information available.

Boiling point/range: Not determined

Decomposition temperature: Not determined

Autoignition temperature: No information available Solubility: Completely Soluble

Solubility in other solvents: No information available

Density: 8.77 lbs/gal 1.052 Kg/L

Bulk density: No information available

Relative Density (relative to water): 1.052

Vapor density: No information available

Vapor pressure: No information available.

Flash point: > 200 °F > 93.3 °C Partition coefficient (n-octanol/water): No information available

**Dilution Flash Point:** > 200 °F > 93.3 °C **Viscosity:** No information available

Elemental Phosphorus: 0.0 % by wt. VOC: 0.14 % \*

pH: 12.9 VOC % by wt. at use dilution 0 % \*
Dilution pH: 11.25 @ 1:60 Flammability (Solid or Gas): Not applicable

Metal Corrosion: Not determined

Explosion limits: - upper: Not determined - lower: Not determined

<sup>\* -</sup> Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

### 10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: The product is stable

None reasonably foreseeable. Hazardous decomposition products:

Materials to avoid:

Conditions to avoid: No information available.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort.

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects. Target Organs (SE): None known Target Organs (RE): None known

#### Numerical measures of toxicity

>5000 ATE - Oral (mg/kg): ATE - Inhalatory, mists (mg/l): >20

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

### 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Contaminated Packaging: Do not re-use empty containers. RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (diluted product): Not Regulated

### 14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information.

DOT (Ground) Bill of Lading Description: LTD. QTY.

IMDG (Ocean) Bill of Lading Description: UN1760, CORROSIVE LIQUID, N.O.S., (tetrasodium salt of EDTA, sodium metasilicate), 8, III, LTD.

### 15. REGULATORY INFORMATION

#### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

#### U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65.

#### **RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Cocamidopropyl betaine	61789-40-0	-	-	=	-
Alcohol ethoxylates	68439-46-3	-	-	-	-
Lauryl dimethyl amine oxide	1643-20-5	-	-	=	-
Tetrasodium salt of EDTA	64-02-8	-	-	=	-
Sodium chloride	7647-14-5	-	-	-	-
Sodium metasilicate	6834-92-0	-	-	=	-
Potassium hydroxide	1310-58-3	X	X	X	X
Sodium hydroxide	1310-73-2	X	X	X	Х

#### **CERCLA/ SARA**

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Potassium hydroxide	1310-58-3	> 0.1% - < 1%	1000		
Sodium hydroxide	1310-73-2	< 0.1%	1000		

### SARA 311/312 Hazard Categories

Immediate: X
Delayed: Fire: Reactivity: Sudden Release of Pressure: -

# Canadian Regulations

# **16. OTHER INFORMATION**

### NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0

Version Number: 1

Preparation date: 2014-06-26

Reason for revision: Not applicable Prepared by: NAPRAC

Additional advice: • Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.