

# Glance SC Glass Multi-Surface Cleaner

HMIS		NFPA	Personal protective equipment		
Health	3	3	and some		
Flammability	0	0			
Physical Hazard / Instability	0	0			

Version Number: 0 Preparation date: 2012-08-27

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Glance SC Glass Multi-Surface Cleaner

MSDS #: MS0301168 **Product Code:** 04305 Recommended use: · Glass Cleaner

· General purpose cleaner

• This product is intended to be diluted prior to use

Manufacturer, importer, supplier: Canadian Headquarters

**US** Headquarters Diversey, Inc. - Canada Diversey, Inc. 2401 Bristol Circle 8310 16th St. Oakville, Ontario L6H 6P1 Sturtevant, Wisconsin 53177-1964 Phone: 1-800-668-3131

Phone: 1-888-352-2249

MSDS Internet Address: www.diversey.com

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'I)

# 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

DANGER. CORROSIVE. CAUSES SKIN AND EYE BURNS. HARMFUL OR FATAL IF SWALLOWED.

Principal routes of exposure: Eye contact. Skin contact. Inhalation.

Corrosive. Causes permanent eye damage, including blindness. Eye contact:

Skin contact: Corrosive. Causes permanent damage.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract.

Ingestion: Corrosive. Causes burns to mouth, throat and stomach.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
2-butoxyethanol	111-76-2	5 - 10%	1400	220 mg/kg	2.21 mg/L (4 h) 450 ppm (4 h)
Diethylene glycol butyl ether	112-34-5	10 - 20%	4500	2700 mg/kg	Not available
Ammonium hydroxide	1336-21-6	1 - 5%	350	Not available	Not available
Sodium lauryl sulfate	151-21-3	1 - 5%	1288	580 mg/kg	>3900 mg/m <sup>3</sup> (1 h)

# 4. FIRST AID MEASURES

Immediately flush eyes with running water for 15-20 minutes, keeping eyelids open. Get medical Eye contact:

attention immediately.

Skin contact: Immediately flush with plenty of water for 15-20 minutes . Get medical attention immediately. Inhalation:

If breathing is affected, remove to fresh air. Get medical attention immediately.

If swallowed, rinse mouth. Give a cupful of water or milk . THEN IMMEDIATELY CONTACT A Ingestion:

PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person.

**Aggravated Medical Conditions:** Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc.,

may be more susceptible to irritating effects

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Not applicable

Unusual hazards: Corrosive material (See sections 8 and 10).

Specific methods: No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in **Environmental precautions** and clean-up methods:

a chemical waste container. Use a water rinse for final clean-up.

### 7. HANDLING AND STORAGE

#### Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

#### Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

**Personal Protective Equipment** 

Eye protection: Chemical-splash goggles. Hand protection: Chemical-resistant gloves

Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear. Skin and body protection: Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
2-butoxyethanol	111-76-2	20 ppm (TWA)	Skin	75 ppm (STEL) 360 mg/m <sup>3</sup>
			50 ppm (TWA) 240 mg/m <sup>3</sup>	(STEL)
			(TWA)	26 ppm (TWA) 120 mg/m <sup>3</sup>
				(TWA)

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Appearance: Liquid Aqueous solution

Specific gravity: 1

Vapor density: No information available Boiling point/range: Not determined

**Decomposition temperature:** Not determined

Solubility: Completely Soluble

Solubility in other solvents: No information available

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0.00 % by wt.

Explosion limits: - upper: Not determined - lower: Not determined

Bulk density: No information available Evaporation Rate No information available

Color: Clear Dark Blue Odor: Ammonia

Melting point/range: Not determined

Autoignition temperature: No information available

Density: 8.34 lbs/gal 1 Kg/L Flash point:  $> 200 \, ^{\circ}\text{F} > 93.4 \, ^{\circ}\text{C}$ Viscosity: No information available

VOC: 6.7 % \*

Dilution pH: 10.0 @ 1:20

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

### 10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerization does not occur

Hazardous decomposition products: None reasonably foreseeable.

# 11. TOXICOLOGICAL INFORMATION

Acute toxicity: Corrosive. Oral LD50 estimated to be between 4000 - 5000 mg/kg . Dermal LD50 estimated to be >

2000 mg/kg.

Component Information: See Section 3

Chronic toxicity: None known

Specific effects

 Carcinogenic effects:
 None known

 Mutagenic effects:
 None known

 Reproductive toxicity:
 None known

 Target organ effects:
 None known

## 12. ECOLOGICAL INFORMATION

Environmental Information: No data available

### 13. DISPOSAL CONSIDERATIONS

#### Waste from residues / unused products:

This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class: Not Regulated

# 14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT Bill of Lading Description: LTD. QTY.

IMDG Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S, (ammonium hydroxide), 8, III, LTD. QTY.

## 15. REGULATORY INFORMATION

# International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

#### U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

### **RIGHT TO KNOW (RTK)**

ration (rand)					
Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
2-butoxyethanol	111-76-2	X	Х	X	-
Diethylene glycol butyl ether	112-34-5	-	-	-	-
Ammonium hydroxide	1336-21-6	Х	Х	Х	Х
Sodium lauryl sulfate	151-21-3	-	-	-	-
Water	7732-18-5	-	-	-	-

#### CERCLA/ SARA

 OEROEA GARAGE					
Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-butoxyethanol	111-76-2	5 - 10%			X

Diethylene glycol butyl ether	112-34-5	10 - 20%		Х
Ammonium hydroxide	1336-21-6	1 - 5%	1000	X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
2-butoxyethanol	Х		

SARA 311/312 Hazard Categories Immediate: Delayed: Fire: Reactivity: **Sudden Release of Pressure:** 

Canada

WHMIS hazard class: E Corrosive material



# **16. OTHER INFORMATION**

Reason for revision: Not applicable Prepared by: NAPRAC

Additional advice: • Does not contain an added fragrance

• This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products

Regulations

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.