Safety Data Sheet

Version 1.0

	1. IDENTIFICATION	
Product Identifier Product Name	Hi-Temp Grill Cleaner	
Other Means of Identification Product Code	K00099	
Recommended use of the Chemi Recommended Use	<u>cal and Restrictions on Use</u> High temperature alkaline degreaser. For industrial use.	
Details of the Supplier of the Safe Victoria Bay Products 255 Route 1 & 9 Jersey City, NJ 07306	ety Data Sheet	
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	Phone: 1-800-226-3233 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)	
	2. HAZARDS IDENTIFICATION	
Appearance Amber	Physical State Liquid	Odor None
Classification_		
Skin corrosion/irritation Serious eye damage/eye irritation	Catego Catego	
Hazards Not Otherwise Classifier May be harmful if swallowed.	d (HNOC)	•
<u>Signal Word</u> Danger		E

Revision Date: 04-Sep-2019

Hazard Statements

Issue Date 03-Oct-2011

Causes severe skin burns and eye damage.

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
Wash contaminated clothing before reuse.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Immediately call a POISON CENTER or doctor/physician.
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Glycerin	56-81-5	30-60
Water	7732-18-5	15-40
Potassium Carbonate	584-08-7	10-30
Phosphated Surfactant	Proprietary	1-5
Sodium Carbonate	497-19-8	1-5
Potassium Hydroxide	1310-58-3	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove and discard contact lenses. Seek immediate medical attention/advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. Seek immediate medical attention/advice.
Ingestion	Rinse mouth. Drink plenty of water. Call a physician or poison control center immediately. Do not induce vomiting. Never give anything by mouth to an unconscious person.

Most Important Symptoms and Effects

Symptoms Corrosive to eyes. Contact will cause irritation and redness to exposed areas. Prolonged contact may even cause severe skin irritation or mild burn.

Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so.				

Methods for Clean-UpCollect spillage. Collect in a clean, dry waste container for disposal. Dilute remaining
residue with water and neutralize with dilute acetic acid (vinegar).

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling	Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.			
Conditions for Safe Storage, including any Incompatibilities				
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Keep from freezing.			

Incompatible Materials Acids. Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Glycerin 56-81-5	TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-
Potassium Carbonate 584-08-7	TWA: 2 mg/m ³ (inhalable particulate)	-	-
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate Engineering Controls

Engineering Controls Ventilation systems. Eyewash stations. Showers.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	Splash goggles or safety glasses.		
Skin and Body Protection	Rubber, Nitrile, PVC, or other chemically resistant skin protection to prevent contact.		
Respiratory Protection	Ensure adequate ventilation, especially in confined areas.		
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State
Appearance
Color

Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Liquid Clear Amber

Values >13.0 ~ 0 ℃ / ~32 ℉ ~ 100 ℃ / ~212 ℉ Not applicable Not determined n/a-liquid Not determined Odor Odor Threshold None Not determined

Remarks · Method

Page 3/7

Lower Flammability Limit	Not determined
Vapor Pressure	Not determined
Vapor Density	Not determined
Specific Gravity	1.06
Water Solubility	Completely soluble
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Auto-ignition Temperature	Not determined
Decomposition Temperature	Not determined
Kinematic Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

@ 25 °C (77 °F)

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

Acids. Oxidizing agents.

Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact	Causes severe eye damage.	
Skin Contact	Causes severe skin burns.	
Inhalation	Avoid breathing vapors or mists.	
Ingestion	May be harmful if swallowed.	

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Glycerin 56-81-5	= 12600 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-
Potassium Carbonate 584-08-7	= 1870 mg/kg (Rat)	> 2000 mg/kg	> 4.96 mg/L (Rat) (4.5hr)
Sodium Carbonate 497-19-8	= 4090 mg/kg (Rat)	-	-
Potassium Hydroxide 1310-58-3	= 214 mg/kg (Rat)	-	-

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity Not classifiable as a human carcinogen.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium Carbonate 584-08-7	-	= 230 mg/L (96hr) Bluegill sunfish	-	= 650 mg/L (48hr) Daphnia magna
Sodium Carbonate 497-49-8	242: 120 h Nitzschia mg/L EC50	300: 96 h Lepomis macrochirus mg/L LC50 static 310 – 1220: 96 h Pimephales promelas mg/L LC50 static	-	265: 48 h Daphnia magna mg/L EC50
Potassium Hydroxide 1310-58-3	-	80: 96h Gambusia affinis mg/L LC50 static	-	-

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient	
Potassium Hydroxide 1310-58-3	0.83	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Sodium Carbonate 497-19-8	Corrosive	
Potassium Hydroxide 1310-58-3	Toxic Corrosive	

14. TRANSPORT INFORMATION

DOT

UN 3266, Corrosive Liquid, Basic, Inorganic, NOS(Containing Potassium Hydroxide), 8, PG II

<u>IATA</u>

IMDG

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 311/312 Hazard Categories

Acute Health Hazard

Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb			х

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	State List
Glycerin 56-81-5	MA, NJ, PA
Potassium Hydroxide 1310-58-3	MA, NJ, PA

AZ - Arizona Ambient Air Quality Guidelines

CT – Connecticut Hazardous Air Pollutants

CA - California Director's List of Hazardous Substances

CAP65 – California Prop 65

FL – Florida Substances List

ID – Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminate- Carcinogenic

MA – Massachusetts Right to Know List

MN – Minnesota Hazardous Substances List

NJ – New Jersey Right to Know List

PA - Pennsylvania Right to Know List

RI – Rhode Island Hazardous Substances List

Protection

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability Not determined	Instability Not determined	Special Hazards Not determined
HMIS_	Health Hazards	Flammability 0	Physical Hazards	Personal Protection
Issue Date	03-Oct-2011			

Disclaimer

Revision Date:

Revision Note

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

23-Apr-2014

New format Version 1.0

*Denotes changes from last version.

End of Safety Data Sheet