# Safety Data Sheet

Issue Date: 08-Aug-2011

Revision Date: 19-Feb-2015

Version 1.1

	1. IDENTIFICATION
Product Identifier Product Name	Presoak and Destainer
Other Means of Identification Product Code	G00515
Recommended Use of the Chemical	and Restrictions on Use
Recommended Use	Silverware presoak. For industrial use.
Details of the Supplier of the Safety Dade Paper Company 9601 NW 112 <sup>th</sup> Avenue Miami, Florida 33178	Data Sheet
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	Phone: 1-800-226-3233 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)
	2. HAZARDS IDENTIFICATION*

# Appearance White

# Physical State Powder

Odor None

# Classification

Acute Toxicity- Oral	Category 5
Acute Toxicity- Dermal	Category 5
Skin Corrosion/Irritation	Category 2 Sub-category B
Serious Eye Damage/Eye Irritation	Category 2 Sub-category A

#### Signal Word Warning

## Hazard Statements

May be harmful if swallowed or in contact with skin. Causes skin irritation. Causes serious eye irritation.

## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves and glasses.

## Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Call a POISON CENTER or doctor/physician if you feel unwell.

SPECIFIC TREATMENT: Remove from exposure and treat symptoms.

## Precautionary Statements – Storage

No other specific measures identified.

## Precautionary Statements - Disposal

No other specific measures identified.



# Hazards Not Otherwise Classified (HNOC)

None known.

## Unknown Acute Toxicity

None known.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium Chloride	7647-14-5	15-40
Sodium Carbonate	497-19-8	15-40
Sodium Sulfate	7757-82-6	10-30
Sodium Citrate	6132-04-3	10-30
Sodium Percarbonate	15630-89-4	5-10
Polymer	Proprietary	3-7
Citric Acid	77-92-9	1-5
Modified Fatty Alcohol Polyglycol Ether	Proprietary	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

#### First Aid Measures

Eye Contact	Exposure may cause irritation and redness. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	Prolonged or repeated exposure may dry skin and cause irritation. Flush skin with water for 15 minutes. If irritation or rash persists, get medical attention.
Inhalation	If breathing becomes difficult, remove victim to fresh air. Call a physician if you feel unwell.
Ingestion	Rinse mouth and drink plenty of water. Do NOT induce vomiting unless directed to do so by a qualified medical personnel. Never give anything by mouth to an unconscious person. If any discomfort persists, obtain medical attention.

## Most Important Symptoms and Effects

Symptoms Contact with eyes may cause irritation and redness. Prolonged or repeated contact may dry skin and cause irritation. Repeated contact may cause allergic reactions in very

## Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to Physician

Treat symptomatically.

susceptible persons.

# **5. FIRE-FIGHTING MEASURES**

## Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

#### Unsuitable Extinguishing Media

Not determined.

# Specific Hazards Arising from the Chemical

None known.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES Personal Precautions, Protective Equipment and Emergency Procedures **Personal Precautions** Use personal protection recommended in Section 8. **Environmental Precautions** Avoid release to the environment. Methods and Material for Containment and Cleaning Up **Methods for Containment** Prevent further leakage or spillage if safe to do so. Methods for Clean-Up Collect in a clean, dry waste container for disposal. Dispose of in accordance with federal, state and local regulations. Use a water rinse for final clean up. 7. HANDLING AND STORAGE Precautions for Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Avoid Advice on Safe Handling breathing dust or fume. Use only in well-ventilated areas. Avoid contact with eyes and skin. Handle in accordance with good industrial hygiene and safety practice. Conditions for Safe Storage, Including Any Incompatibilities Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing. Incompatible Materials None known.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Chloride 7647-14-5	TWA: 15 mg/m <sup>3</sup>	-	-
Sodium Carbonate 497-19-8	-	15mg/m <sup>3</sup>	-
Sodium Percarbonate 15630-89-4	10mg/m <sup>3</sup> (SAEL)	5mg/m <sup>3</sup>	-
Sodium Silicate 6834-92-0 +(Manufacturer recommended limits)	2mg/m <sup>3+</sup>	2mg/m <sup>3</sup>	-
Polymer Proprietary	10mg/m <sup>3</sup>	-	-
Citric Acid 77-92-9	5mg/m <sup>3</sup>	5mg/m <sup>3</sup>	-
Modified Fatty Alcohol Polyglycol Ether Proprietary +(Inhalable particles/respirable particles)	10mg/m³+ 3mg/m³+	15mg/m³ (Total dust)	-

## Appropriate Engineering Controls

Engineering Controls Genera

General ventilation sufficient.

#### Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	Eye protection should be worn when splashing may occur.

- Skin and Body Protection Wear suitable gloves when handling this product.
- Respiratory Protection No protective equipment is needed under normal use conditions.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Page 3/7

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on Basic Physical and Chemical Properties

Physical State Appearance Color	Powder White White
Property pH (1%) Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	Values 9.5-10.0 Not dete Not dete

ues 10.0 determined determined ne (not flammable) determined flammable determined determined determined determined determined derate in water @ 25℃ determined determined determined determined determined determined determined determined

Odor Odor Threshold None Not determined

Remarks • Method (1% solution)

Tag Open Cup

# **10. STABILITY AND REACTIVITY**

## **Reactivity**

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Keep out of reach of children. Avoid concentrated acids, bases, heavy metal salts, flammable materials, combustible materials, and moisture.

#### Incompatible Materials

None known.

## Hazardous Decomposition Products

Thermal decomposition may result in the formation of oxides of sulfur, carbon dioxide, hydrogen, and oxygen.

# **11. TOXICOLOGICAL INFORMATION**

# Information on Likely Routes of Exposure

# **Product Information**

Eye Contact

Causes eye irritation.

Skin Contact

May cause skin irritation or rash.

Page 4/7

Inhalation	Avoid breathing dust.
Ingestion	May be harmful if swallowed.
Chronic Effects	Excessive, long term contact may produce "soda ulcers" on hands and perforation of the nasal septum. Sensitivity reactions may occur from prolonged and repeated exposure. Risk of throat, nose bleeds and chronic bronchitis.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Chloride 7647-14-5	3000mg/kg	10000mg/kg	>42000mg/m <sup>3</sup> (Rat)
Sodium Carbonate 497-19-8	= 4090mg/kg (Rat)	2000mg/kg	800mg/m <sup>3</sup> (Guinea Pig)
Sodium Sulfate 7757-82-6	> 10000mg/kg (Rat)	4000mg/kg	-
Sodium Citrate 6132-04-3	> 8000 mg/kg (Rat)	-	-
Sodium Percarbonate 15630-89-4	1034mg/kg	2000mg/kg	>4580mg/m <sup>3</sup> (Rat)
Sodium Silicate 6834-92-0	1280mg/kg	1380mg/kg	-
Polymer Proprietary	5000mg/kg	4000mg/kg	-
Citric Acid 77-92-9	3000mg/kg	4000mg/kg	-
Modified Fatty Alcohol Polyglycol Ether Proprietary	2000mg/kg	2000mg/kg	-

# Information on Physical, Chemical and Toxicological Effects

## Symptoms

Please see section 4 of this SDS for symptoms.

## Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

#### Carcinogenicity

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

# Numerical Measures of Toxicity

Not determined

# Unknown Acute Toxicity

None known.

# **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Chloride 7647-14-5	-	5840mg/L (Bluegill 96hr)	-	1661mg/L (Daphnia 48hr)
Sodium Carbonate 497-19-8	14mg/L (Phytoplankton 7d)	300-320mg/L (Bluegill 96hr)	-	265mg/L (Daphnia 45hr)
Sodium Sulfate 7757-82-6	-	56mg/L (96hr)	-	3150mg/L (Daphnia 48hr)
Sodium Citrate 6132-04-3	-	18000-32000mg/L (Guppy 96hr)	-	-
Sodium Percarbonate 15630-89-4	-	71mg/L (Fathead minnow)	-	4.9mg/L (Daphnia 96hr)
Sodium Silicate 6834-92-0	-	2320mg/L (Mosquito fish 96hr)	-	247mg/L (Daphnia 96hr)
Citric Acid 77-92-9	-	440-706mg/L (Goldfish 96hr)	-	-
Modified Fatty Alcohol Polyglycol Ether Proprietary	>100mg/L	>100mg/L	-	-

# Persistence/Degradability

Not determined.

# **Bioaccumulation**

Not determined.

# **Mobility**

Not determined

# **Other Adverse Effects**

Not determined

# **13. DISPOSAL CONSIDERATIONS**

# Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
	14. TRANSPORT INFORMATION	
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.	
DOT	Not regulated	
IATA	Not regulated	
IMDG_	Not regulated	
15. REGULATORY INFORMATION		

# International Inventories

Not determined

# US Federal Regulations

# CERCLA

Maleic acids: 5000lbs. Acrylamide: 5000lbs. Acrylic Acid: 5000lbs. Sodium Percarbonate: 100lbs.

# SARA 311/312 Hazard Categories

Immediate (Acute) Health and Delayed (Chronic) Health.

## SARA 313

Not determined

# US State Regulations

# U.S. State Right-to-Know Regulations

The following ingredients appear on various state right to know lists and/or California's Proposition 65 list:

Chemical Name	State List
Sodium Chloride 7647-14-5	NJ, PA
Sodium Sulfate 7757-82-6	NJ, MA, PA
Sodium Percarbonate 15630-89-4	NJ
Polymer Proprietary (maleic acid, acrylamide, acrylic acid, mequionol)	NJ, MA, PA
Acrylamide 79-06-1	CAP65

#### Presoak and Destainer

# Revision Date: 19-Feb-2015

Ethylene Oxide 75-07-0 <0.1ppm	CAP65
Acetaldehyde (Inhalation) 75-07-0	CAP65
1,4-Dioxane 123-91-1 <0.1ppm	CAP65

AZ- Arizona Ambient Air Quality Guidelines
CT- Connecticut Hazardous Air Pollutants
CA- California Director's List of Hazardous Substances
CAP65- California Prop65
FL- Florida Substances List
ID- Idaho Non-Carcinogen Toxic Air Pollutants

IL- Illinois Toxic Air Contaminate- Carcinogenic MA- Massachusetts Right to Know List MN- Minnesota Hazardous Substances List NJ- New Jersey Right to Know List PA- Pennsylvania Right to Know List RI- Rhode Island Hazardous Substances List

# **16. OTHER INFORMATION**

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	<b>Physical Hazards</b>	Personal Protection
	2	0	0	Not determined

Issue Date: Revision Date: Revision Note: 03-Oct-2011 19-Feb-2015 Updated Classification Information Version 1.1

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

\*Denotes changes from last version.

End of Safety Data Sheet